

## TERMS & CONDITIONS

1. Intending tenderers are advised to carefully study the DNIT/Estimate/specifications/Building plan etc. which may be seen in the office of the undersigned on any working day.
2. Contractor will be required to present proof of enlistment/renewal of the enlistment as well as performance certificate of works(s) of similar nature and magnitude before they can be issued tender form.
3. The earnest money of the contractor to whom a tender form has been issued but does not deposit it for any reason, shall not be released before expiry of the period of 90 days after the opening of the tenders.
4. Tenders are to be submitted in the tender box kept in the office for this purpose on or before the scheduled date and time.
5. Tender submitted in any other form or through any other means or to any person/branch of the Corporation shall not be entertained. In case the office feels that such an action has been taken by the contractor for malafide reason, he may be de-listed/debarred from tenders in future.
6. The addition/alteration, if required, will be added as per site requirement at the time of execution.
7. The bids shall be opened **at 11.30 AM on 7.09.2010** in presence of the tenderers or their authorized agent who happen to be present.
8. The rates quoted should be written legibly both in words and in figures. Any over writing/cutting/correction in the tender will make it liable to be rejected.
9. The rates shall be valid for at least 90 days from the date of opening of tenders.
10. The rates should be based on DNIT/HSR 1988 with the ceiling premium as mentioned in the DNIT. The rates are to be quoted in the manner as specified in the format enclosed.
11. The rates for earth filling, wherever required should be quoted inclusive of compaction, watering, ramming with road roller and any other process whichever required.
12. The rates of Non Scheduled items mentioned in the DNIT, may be mentioned separately.
13. Recovery of old dismantled material should be on actual basis and not on percentage basis. Further, the recovery of old dismantled material should not be quoted at less than the estimated cost.
14. The rates should be quoted only at the appropriate place in the tender form. HSR item rates should not be split up and only single rate should be quoted.
15. Conditional tenders will be out rightly rejected.

16. Contractors should quote their lowest possible rates going carefully through the DNIT. Inclusion of any condition stipulated by a contractor to the effect that his rates are negotiable or that he is prepared to undertake the job at some percentage less than the lowest rates offered or that he is ready to negotiate further or any other similar condition will render the contractor liable for de-listment/debarment for future tenders.
17. If at any time after the commencement of the work, the Haryana Warehousing Corporation shall for any reason whatsoever nor require the whole thereof as specified in the tender to be carried out the Engineer-in-charge shall give notice in writing of the facts to the contractor who shall have no claim to any payment of compensation whatsoever on account of any profit or advantage which he might have derived from the execution of the work in full which he did not derived consequence of the full amount of the work not having been carried out, neither shall be have any claim for compensation by reason of any alteration having been made in the original specification, drawing, design and instructions which shall involve any curtailment for the work as originally contemplated.

Provided that the contractor shall be paid the charges on the cartage only of materials actually and bonafide brought to the site of the work by the contractor and rendered surplus as a result of the abandonment or curtailment of the work or any portion thereof any then taken back by the contractor provided, however, that the Engineer-in-charge shall have in all such cases the option of taking over all or any such material at their purchase price or at local current rate whichever may be less.

18. The Corporation reserves the right to accept/reject any or all tenders without assigning any reason and the right to call some or all the tenderers for further negotiations, if required.

\*\*\*\*\*

## **SPECIFICATION OF VERANDAH SHEETING**

Providing & fixing Hi- Rib Profiled sheeting 930-1020 mm width 28-32mm crests @ 186-333 mm c/c manufactured out of 0.50 mm TMT (Total Metal Thickness) Hitensile Galvalume steel. The sheets shall have a hot dip metallic Zinc-Aluminum alloy (AZ-150) coating of minimum(150gms/Sq.m ) with 550 Mpa yield strength zinc(45%) aluminum (55%) on both sides as per AS 1397-1993. The coating shall be as per AS/NZS-2728:1997(category 3). The total coating thickness of 35 microns, comprising of 20 microns exterior coat of SMP or super polyester XRW on top surface and 5 micron polyester reverse coat on back surface over 5 micron primer coats on both surfaces including side and end laps.

The colour of the sheet shall be got approved from the Engineer-in-charge before installation.

The sheets shall be fixed using polymer coated hot dip Galvanized hex head self drilling as AS:3566 class 3 on each crest of sheets for connection with purlins and polymer coated hot dip stitching fasteners at 300mm centers on all side and end laps etc.

The measurement shall be based on per unit of finished/ laid area. Approved sealing tapes shall be used on side laps and end laps of sheets and closures to be provided at the last end of sheet.

The contractor shall gave minimum 10 years guarantee for the sheets against deterioration, disintegration, loss of luster, variation in colour etc. and leakage across laps, fasteners etc.

**Recovery of old material:**

Recovery of old bricks:- @ 2250/- per thousand

Recovery of brick bats @ 389/- per cum.

**Note:-**

1. The descriptions of items are given in brief which may be read complete as per chapter No. mentioned according to HSR 1988.
2. The tender form can be downloaded from our Web Site [www.hwc.nic.in](http://www.hwc.nic.in) . The tender form can also be obtained from the office **of the undersigned and any office of Sub Divisional Engineer.**

**The contractors should quote single rate for scheduled items and non-scheduled items as explained below:**

| <b><u>SPECIMEN</u></b> |   |
|------------------------|---|
| 1) All HSR items       | - (HSR+CP)+(Plus) _____<br><br>- (Minus) _____          |
| 2) All N.S. items      | - As per estimate + (Plus) _____<br><br>- (Minus) _____ |